



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/833,465	04/11/2001	Curtis Lee Carrender	E-1800	3312

36977 7590 02/02/2004

SEED INTELLECTUAL PROPERTY LAW GROUP PLLC
701 FIFTH AVENUE, SUITE 6300
SEATTLE, WA 98104-7092

EXAMINER

SHIMIZU, MATSUICHIRO

ART UNIT

PAPER NUMBER

2635

DATE MAILED: 02/02/2004

S

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/833,465

Applicant(s)

CARRENDER ET AL.

Examiner

Matsuichiro Shimizu

Art Unit

2635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 April 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 2. 6) ☐ Other: _____

Claim Rejections – 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-12, 14-16, 19, 21-23 and 25-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heinrich et al. (5,874,902) in view of Valiulis (6,317,028).

Regarding claims 1 and 8, Heinrich teaches a radio frequency identification (RFID) device, comprising: interrogator circuit and a receiver circuit configured to receive a radio-frequency interrogation signal (col. 3, lines 4-45, col. 7, lines 26-57; return to reader 910 or interrogator, RF tag 120 receives interrogation signal) and to return a tag ID (Fig. 9, col. 7, lines 26-57, return to reader 910), and a control circuit further configured to receive a disable

Art Unit: 2635

signal and to process the disable signal to render the RFID device inoperable (col. 7, lines 26–57, disable signal to the external electronic circuitry 130 or 970); and rendering the RFID device permanently inoperable (Fig. 9, col. 7, lines 26–57, disable the tag upon sale and tag device will not respond to reader passing through the zone of reader). But Heinrich does not teach a modulated radio frequency signal by continuous-wave backscatter.

However, Valiulis teaches, in the art of RFID technology, returning a modulated radio frequency signal by continuous-wave backscatter (Fig. 7, col. 14, lines 50–63, RFID device 65 communicates with the interrogator via backscattering) for purpose of tracking manufactured product number. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include returning a modulated radio frequency signal by continuous-wave backscatter in the device of Heinrich because Heinrich suggest returning a tag ID and Valiulis teaches returning a modulated radio frequency signal by continuous-wave backscatter for purpose of tracking manufactured product number.

Regarding claim 2, Valiulis teaches the device of claim 1, wherein the receiver circuit is configured to provide passive continuous-wave backscattering of the interrogation signal and to receive operating power from the interrogation signal and the disable signal (Fig. 7, col. 14, lines 50–63, interrogator energizes the RFID, and RFID device 65 communicates with the interrogator via backscattering).

Regarding claim 3, Heinrich teaches the device of claim 1, wherein the receiver circuit comprises an antenna circuit, and wherein the control circuit is configured to

Art Unit: 2635

render the antenna circuit inoperable in response to the disable signal (Fig. 9, col. 7, lines 26–57, disable the tag upon sale and tag device will not respond to reader passing through the zone of reader. That is, antenna of the tag is inoperable).

Regarding claim 4, Valiulis teaches the device of claim 1, wherein the control circuit is configured to modify the backscattering characteristics of the antenna circuit in response to the disable signal (Fig. 7, col. 14, lines 50–63, interrogator energizes the RFID, and RFID device 65 modifies the continuous wave and backscatters the information or data associated with disable signal to the interrogator).

Regarding claim 5, Heinrich teaches the device of claim 1, wherein the receiver circuit comprises a memory circuit, and wherein the control circuit is configured to permanently alter the memory circuit in response to the disable signal (Fig. 9, col. 7, lines 26–57, disable the tag upon sale and tag device will not respond to reader passing through the zone of reader. That is, memory circuit associated with the tag is inoperable).

Regarding claim 6, Heinrich teaches the device of claim 1, wherein the control circuit is configured to fuse a fusible link in response to the enable signal (col. 9, lines 20–40, operable state). But Heinrich does not teach the control circuit is configured to fuse a fusible link in response to the disable signal.

However, one of ordinary skill in the art recognizes RF power associated with enable signal and disable signal is same to fuse the fusible link. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include the control circuit is configured to fuse a fusible link in response to the disable signal in the device of Heinrich because Heinrich suggest the control circuit is configured to fuse a fusible link in response to the enable signal and one ordinary skill

Art Unit: 2635

in the art recognizes the control circuit is configured to fuse a fusible link in response to the disable signal as a complimentary logic.

Regarding claim 7, Heinrich teaches the device of claim 1, wherein the control circuit is configured to irreversibly alter the operating characteristics of the receiver circuit in response to the disable signal (Fig. 9, col. 7, lines 26-57, disable the tag upon sale and tag device will not respond to reader passing through the zone of reader. That is, operation associated with the tag is irreversible or inoperable).

All subject matters in claims 9-12 and 14-15 are disclosed in claims 2-3 and 5-7, and therefore rejection of the subject matters expressed in claims 9-12 and 14-15 are met by references and associated arguments applied to rejection of claims 2-3 and 5-7.

All subject matters in claims 16, 19 and 21 are disclosed in claims 8 and 14-15, and therefore rejection of the subject matters expressed in claims 16, 19 and 21 are met by references and associated arguments applied to rejection of claims 8 and 14-15.

All subject matters in claims 22-23 and 25-28 are disclosed in claims 1-5, and therefore rejection of the subject matters expressed in claims 22-23 and 25-28 are met by references and associated arguments applied to rejection of claims 1-5.

Claims 13, 17-18 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heinrich in view of Valiulis as applied to claims 12 and 16 above, and further in view of Fockens (6,181,248).

Art Unit: 2635

Regarding claim 13, 17-18 and 20, Heinrich in view of Valiulis does not teach the system of claims 12 and 16, wherein the control circuit is configured to erase the memory in response to the disable signal.

However, Fockens teaches, in the art of memory control system, the control circuit is configured to erase the memory (col. 3, lines 36-53, erase memory 4 via changing the resonant frequency) in response to the disable signal for the purpose of providing disable operation to the label. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include the control circuit is configured to erase the memory in response to the disable signal in the device of Heinrich in view of Valiulis because Heinrich in view of Valiulis suggests permanent memory associated with appliance and Fockens teaches the control circuit is configured to erase the memory in response to the disable signal for the purpose of providing disable operation to the label.

Claims 24 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heinrich in view of Valiulis as applied to claims 22-23 above, and further in view of Crye et al. (6,412,207).

Regarding claims 24 and 29, Valiulis teaches the device of claim 23, wherein the receiver circuit is configured to return radio frequency signals (Figs. 7-8, backscattering RF signal) in response to the interrogation signal. But Heinrich in view of Valiulis does not teach data regarding the operational status of the object and the receiver circuit is battery-powered.

However, Crye teaches, in the art of RFID control, data regarding the operational status of the object (col. 14, lines 22-45, external data acquisition system 360

Art Unit: 2635

associated with the object or weapon) and the receiver circuit is battery-powered (Cyre-col. 9, lines 17-25, battery) for the purpose of providing safe and reliable operation. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include data regarding the operational status of the object associated with the weapon control and the receiver circuit is battery-powered in the device of Heinrich in view of Valiulis because Heinrich in view of Valiulis suggest RFID response associated with appliance and Cyre teaches data regarding the operational status of the object and the receiver circuit is battery-powered for the purpose of providing safe and reliable operation.

Claims 30-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heinrich in view of Valiulis as applied to claims 1-2 above, and further in view of Crye et al. (6,412,207).

All subject matters in claims except the weapon 30-32 are disclosed in claims 1-2. However, Crye teaches, in the art of RFID control, the weapon control (col. 9, lines 29-43, remote firearm 10 control) for the purpose of providing safe operation. Therefore, it would have been obvious to a person skilled in the art at the time the invention was made to include the weapon control in the device of Heinrich in view of Valiulis because Heinrich in view of Valiulis suggest RFID associated with appliance and Valiulis teaches the weapon control for the purpose of providing safe operation. Therefore rejection of the subject matters expressed in claims 30-32 are met by references and associated arguments applied to rejection of claims 1-2 and argument provided in previous paragraph.

Art Unit: 2635

Regarding claim 33, Crye teaches the system of claim 31, wherein the RFID device is configured to enable operation (of the weapon in response to control signals (col. 9, lines 29-43, enabling firearm 10).

Regarding claim 34, Valiulis in view of Cyre teaches the system of claim 31, wherein the RFID device is configured to utilize the modulated continuous-wave backscattered radio frequency signals (Valiulis-Figs. 7-8, backscattering signal) to transmit data regarding operational status of the weapon (Cyre-col. 14, lines 22-45, external data acquisition system 360).

Regarding claim 35, Valiulis in view of Cyre teaches the system of claim 31, wherein the RFID device is battery powered (Cyre-col. 9, lines 17-25, battery) and is configured to transmit signals to the interrogator (Valiulis-Figs. 7-8, backscattering signal to interrogator).

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matsuichiro Shimizu whose telephone number is (703) 306-5841. The examiner can normally be reached on Monday through Friday from 8:00 AM to 4:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik, can be reached on (703-305-4704). The fax phone number for the organization where this application or proceeding is assigned is (703-305-3988).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703-305-8576).

Matsuichiro Shimizu

January 12, 2004



MICHAEL HORABIK
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600

